

BIOCLEAN NITRAMAX™ Sterile Nitrile Gloves BNMS

About

The 600mm (24") BioClean Nitramax™ Glove is specifically designed for use when full arm protection is required. These nitrile gloves provide exceptional comfort and flexibility, have excellent antistatic properties and are resistant to a wide range of chemicals.

Specifications

COMPATIBILITY:
ISO Class 4 & EU GMP Grade A

LENGTH:
600mm (24")

MATERIAL:
Nitrile

PROTEIN LEVEL:
Nitrile contains no natural latex proteins

SURFACE:
Textured

SHAPE:
Hand specific

COLOUR:
White

STERILIZATION:
Gamma irradiation

Features


- Resistant to a wide range of chemicals
- Full arm protection
- Powder-free & latex-free
- Excellent antistatic properties
- Beaded cuff
- Non-particulating EasyTear™ packaging

TEXTURED

LATEX-FREE

ANTISTATIC

SHOULDER LENGTH



Ms. G. Love™ represents BioClean's range of cleanroom gloves

Quality Standards

- Manufactured in a facility holding ISO 9001: 2008 and 89/686/EEC Article 11b certifications
- Conforms to Category 3 - Complex Design Personal Protective Equipment PPE Directive 89/686/EEC
- Processed in an NEBB certified ISO Class 4 environment
- Complies with the requirements of Glove Standard EN420:2003 and EN374-1, 2 & 3:2003
- Physical properties comply with European Medical Glove Standard EN455-2:2009
- Sterilized in accordance with ISO 11137-1:2006

Physical Properties

CHARACTERISTICS	VALUE	TEST METHOD
Freedom From Holes	1.5 AQL Performance Level 2	EN 374-2:2003
Minimum Length (mm/inches)	590/23.2	EN 420:2003
Single Wall Thickness Minimum (mm)	Cuff: 0.09 Palm: 0.15 Finger Tip: 0.18	EN 455-2:2009
Force At Break During Shelf Life	≥ 9 N	EN 455-2:2009

Sterilization

Method: Gamma irradiation
Minimum Dose: 25kGy
Sterility Assurance Level: 10^{-6}

Shelf Life & Storage

Five (5) years from date of manufacture.
Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.

PALM WIDTHS (mm) ± 5mm						
SIZE	6.5	7.0	7.5	8.0	8.5	9.0
mm	83	89	95	102	108	114
TEST METHOD				EN455-2:2009		

Glove Cleanliness Characteristics

PARTICLES				TYPICAL PARTICLE COUNT				TEST METHOD
≥ 0.5µm(counts/cm ²)				<2600				IEST-RP-CC005.3
TYPICAL EXTRACTABLE IONS								TEST METHOD
ANIONS	Fluoride	Chloride	Nitrite	Bromide	Nitrate	Phosphate	Sulphate	IEST-RP-CC005.3
(µg/cm ²)	0.001	0.155	ND	ND	0.234	ND	0.119	
CATIONS	Lithium	Sodium	Ammonium	Potassium	Calcium	Magnesium	Zinc	
(µg/cm ²)	ND	0.014	0.024	0.018	0.704	ND	NT	
ND = Not Detected, NT = Not Tested								



TO ORDER

Re-order code	Size	Packing
BNMS-65	6.5	One pair per inner PE wallet; one wallet per sealed EasyTear™ PE pouch; 10 pouches per sealed outer PE bag; 10 outer bags per lined carton (100 pairs)
BNMS-70	7.0	
BNMS-75	7.5	
BNMS-80	8.0	
BNMS-85	8.5	
BNMS-90	9.0	

CONTACT

Europe (Headquarters)

Nitritex Ltd.
Minton Enterprise Park,
Oaks Drive,
Newmarket, Suffolk,
CB8 7YY,
United Kingdom
T: +44 (0) 1638 663338
F: +44 (0) 1638 668890
E: europa@bioclean.com

Other Regions

Asia: malaysia@bioclean.com
Americas: americas@bioclean.com



BioClean™ is a brand of Nitritex Ltd.
For more information, please visit www.bioclean.com

BNMS/1602/PDS15