

BIOCLEAN FUSION™

Non-sterile Polychloroprene Gloves

BFAP

About

For medical, cleanroom and PPE use, offering the outstanding chemical protection of nitrile and the exceptional tactility and comfort of latex, the BioClean Fusion™ Polychloroprene Gloves feature a finger-textured surface for enhanced grip and beaded cuffs for strength and stability on the arm.

Specifications

COMPATIBILITY:
ISO Class 4

LENGTH:
290mm (11.4")

MATERIAL:
Polychloroprene

PROTEIN LEVEL:
Polychloroprene contains no natural latex proteins

SURFACE:
Finger-textured

SHAPE:
Ambidextrous

COLOUR:
Green

Features


- Resistant to a wide range of chemicals
- Hypoallergenic
- Powder-free & latex-free
- Excellent antistatic properties
- Non-particulating EasyTear™ packaging

EXCELLENT CHEMICAL PROTECTION

POWDER-FREE

LATEX-FREE

BEADED CUFF



Ms. G. Love™ represents BioClean's range of cleanroom gloves

Quality Standards

- Manufactured in a facility holding ISO 9001: 2008 and 89/686/EEC Article 11b certifications
- Conforms to Category 3 - Complex Design Personal Protective Equipment PPE Directive 89/686/EEC
- Processed in an NEBB certified ISO Class 4 environment
- Complies with the requirements of Glove Standard EN420:2003 and EN374-1, 2 & 3:2003
- Physical properties comply with European Medical Glove Standard EN455-2:2009

Shelf Life & Storage

Five (5) years from date of manufacture.
Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.

Physical Properties

CHARACTERISTICS	VALUE	TEST METHOD
Freedom From Holes	AQL 0.65 Performance Level 3	EN 374-2:2003
Minimum Length (mm/inches)	290/11.4	EN 420:2003
Single Wall Thickness Minimum (mm)	Cuff: 0.07 Palm: 0.10 Finger Tip: 0.12	EN 455-2:2009
Force At Break During Shelf Life	≥9 N	EN 455-2:2009

PALM WIDTHS (mm) ± 5mm						
SIZE	XSmall	Small	Medium	Large	XLarge	XXLarge
mm	76	86	95	106	115	120
TEST METHOD				EN455-2:2009		

Glove Cleanliness Characteristics

PARTICLES				TYPICAL PARTICLE COUNT				TEST METHOD
≥ 0.5µm(counts/cm ²)				850				IEST-RP-CC005.3
TYPICAL EXTRACTABLE IONS								TEST METHOD
ANIONS	Fluoride	Chloride	Nitrite	Bromide	Nitrate	Phosphate	Sulphate	IEST-RP-CC005.3
(µg/cm ²)	ND	0.194	ND	ND	0.884	ND	0.025	
CATIONS	Lithium	Sodium	Ammonium	Potassium	Calcium	Magnesium	Zinc	
(µg/cm ²)	ND	0.099	0.003	0.315	0.652	0.007	ND	
ND = Not Detected, NT = Not Tested								



TO ORDER

Re-order code

BFAP-XS
BFAP-S
BFAP-M
BFAP-L
BFAP-XL
BFAP-XXL

Size

XSmall
Small
Medium
Large
XLarge
XXLarge

Packing

100 pieces per sealed inner PE bag;
one inner PE bag per sealed outer
PE bag; 10 outer bags per lined
carton (1000 pieces)

CONTACT

Europe (Headquarters)

Nitritex Ltd.
Minton Enterprise Park,
Oaks Drive,
Newmarket, Suffolk,
CB8 7YY,
United Kingdom
T: +44 (0) 1638 663338
F: +44 (0) 1638 668890
E: europa@bioclean.com

Other Regions

Asia: malaysia@bioclean.com
Americas: americas@bioclean.com



BioClean™ is a brand of Nitritex Ltd.
For more information, please visit www.bioclean.com

BFAP/1607/PDS20

BIOCLEAN FUSION™

Sterile Polychloroprene Gloves S-BFAP

About

Providing exceptional grip, tactility and the comfort of latex, BioClean Fusion™ Sterile Polychloroprene Cleanroom Gloves have excellent antistatic properties and contain no natural latex proteins. The ambidextrous, green-coloured polychloroprene gloves are 290mm long, finger textured, have beaded cuffs and are designed to be double-donnable.

Specifications

COMPATIBILITY:

ISO Class 4 & EU GMP Grade A

LENGTH:

290mm (11.4")

MATERIAL:

Polychloroprene

PROTEIN LEVEL:

Polychloroprene contains no natural latex proteins

SURFACE:

Textured fingers

SHAPE:

Ambidextrous

COLOUR:

Green

STERILIZATION:

Gamma irradiation

POWDER-FREE

LATEX-FREE


BEADED CUFF

ANTISTATIC

DOUBLE-DONNABLE

Features

- Exceptional tactility
- Powder-free & latex-free
- Excellent antistatic properties
- Double-donnable
- Beaded cuff for strength
- Non-particulating EasyTear™ packaging



Ms. G. Love™ represents BioClean's range of cleanroom gloves

Quality Standards

- Manufactured in a facility holding ISO 9001: 2008 and 89/686/EEC Article 11b certifications
- Conforms to Category 3 - Complex Design Personal Protective Equipment PPE Directive 89/686/EEC
- Processed in an NEBB certified ISO Class 4 environment
- Complies with the requirements of Glove Standard EN420:2003 and EN374-1, 2 & 3:2003
- Physical properties comply with European Medical Glove Standard EN455-2:2009
- Sterilized in accordance with ISO 11137-1:2006

Physical Properties

CHARACTERISTICS	VALUE	TEST METHOD
Freedom From Holes	AQL 0.65 Performance Level 3	EN 374-2:2003
Minimum Length (mm/inches)	290/11.4	EN 420:2003
Single Wall Thickness Minimum (mm)	Cuff: 0.07 Palm: 0.10 Finger Tip: 0.12	EN 455-2:2009
Force At Break During Shelf Life	≥ 9 N	EN 455-2:2009

PALM WIDTHS (mm) ± 5mm						
SIZE	5.0-5.5	6.0-6.5	7.0-7.5	8.0-8.5	9.0	10.0
mm	76	86	95	106	115	120
TEST METHOD				EN455-2:2009		

Sterilization

Method: Gamma irradiation
Minimum Dose: 25kGy
Sterility Assurance Level: 10^{-6}

Shelf Life & Storage

Five (5) years from date of manufacture.
Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.

Glove Cleanliness Characteristics

PARTICLES				TYPICAL PARTICLE COUNT				TEST METHOD
≥ 0.5µm(counts/cm ²)				850				IEST-RP-CC005.3
TYPICAL EXTRACTABLE IONS								TEST METHOD
ANIONS	Fluoride	Chloride	Nitrite	Bromide	Nitrate	Phosphate	Sulphate	IEST-RP-CC005.3
(µg/cm ²)	ND	0.194	ND	ND	0.884	ND	0.025	
CATIONS	Lithium	Sodium	Ammonium	Potassium	Calcium	Magnesium	Zinc	
(µg/cm ²)	ND	0.099	0.003	0.315	0.652	0.007	ND	
ND = Not Detected, NT = Not Tested								



TO ORDER

Re-order code	Size	Packing
S-BFAP-5055	5.0-5.5	One pair per inner PE wallet; one wallet per sealed EasyTear™ PE pouch; 10 pouches per sealed outer PE bag; 20 outer bags per lined carton (200 pairs)
S-BFAP-6065	6.0-6.5	
S-BFAP-7075	7.0-7.5	
S-BFAP-8085	8.0-8.5	
S-BFAP-9090	9.0	
S-BFAP-1010	10.0	

CONTACT

Europe (Headquarters)

Nitritex Ltd.
Minton Enterprise Park,
Oaks Drive,
Newmarket, Suffolk,
CB8 7YY,
United Kingdom
T: +44 (0) 1638 663338
F: +44 (0) 1638 668890
E: europa@bioclean.com

Other Regions

Asia: malaysia@bioclean.com
Americas: americas@bioclean.com



BioClean™ is a brand of Nitritex Ltd.
For more information, please visit www.bioclean.com

S-BFAP/1603/PDS17