

BIOCLEAN HALFINGERS™ Sterile Nylon Underglove S-BGHF

About

The BioClean Halfingers™ Sterile Nylon fingerless underglove has been designed to provide a comfortable and tactile barrier between the skin and the glove over prolonged periods of time.

Specifications

COMPATIBILITY:
ISO Class 4

LENGTH:
145mm

MATERIAL:
100% nylon, 280 denier

PROTEIN LEVEL:
N/A

SURFACE:
N/A

SHAPE:
Ambidextrous

COLOUR:
White

STERILIZATION:
Gamma irradiation

Features

- Fingers and thumbs free for maximum tactility
- A soft barrier between skin and glove
- Comfortable over prolonged periods

CLOSE FITTING

SOFT & COMFORTABLE



Ms. G. Love™ represents BioClean's range of cleanroom gloves

Quality Standards

- Manufactured in a facility holding ISO 9001: 2008
- Processed in an NEBB certified ISO Class 4 environment
- Sterilized in accordance with ISO 11137-1:2006

Sterilization

Method: Gamma irradiation
 Minimum Dose: 25kGy
 Sterility Assurance Level: 10^{-6}

Shelf Life & Storage

Five (5) years from date of manufacture.
 Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.

Physical Properties

CHARACTERISTICS	VALUE	TEST METHOD
Freedom From Holes	N/A	EN 374-2:2003
Minimum Length (mm/inches)	N/A	EN 420:2003
Single Wall Thickness Minimum (mm)	Cuff: N/A Palm: N/A Finger Tip: N/A	EN 455-2:2009
Force At Break During Shelf Life	N/A	EN 455-2:2009

PALM WIDTHS (mm) ± 5mm	
SIZE	Universal
mm	N/A
TEST METHOD	EN455-2:2009

Glove Cleanliness Characteristics

PARTICLES				TYPICAL PARTICLE COUNT				TEST METHOD
$\geq 0.5\mu\text{m}(\text{counts}/\text{cm}^2)$				N/A				IEST-RP-CC005.3
TYPICAL EXTRACTABLE IONS								TEST METHOD
ANIONS	Fluoride	Chloride	Nitrite	Bromide	Nitrate	Phosphate	Sulphate	IEST-RP-CC005.3
($\mu\text{g}/\text{cm}^2$)	NT	NT	NT	NT	NT	NT	NT	
CATIONS	Lithium	Sodium	Ammonium	Potassium	Calcium	Magnesium	Zinc	
($\mu\text{g}/\text{cm}^2$)	NT	NT	NT	NT	NT	NT	NT	
ND = Not Detected, NT = Not Tested								



TO ORDER

Re-order code

S-BGHF

Size

Universal

Packing

One pair per sealed inner PE bag;
10 inner bags per sealed outer PE
bag; 20 outer bags per lined carton
(200 pairs)

CONTACT

Europe (Headquarters)

Nitritex Ltd.
Minton Enterprise Park,
Oaks Drive,
Newmarket, Suffolk,
CB8 7YY,
United Kingdom
T: +44 (0) 1638 663338
F: +44 (0) 1638 668890
E: europa@bioclean.com

Other Regions

Asia: malaysia@bioclean.com
Americas: americas@bioclean.com



BioClean™ is a brand of Nitritex Ltd.

For more information, please visit www.bioclean.com

S-BGHF/1603/PDS10