

## SATWIPES® with cellulose/polyester











- Nonwoven hydroentangled polyester/cellulose blended wipes
- Dispensed from center-pull roll in a reusable canister
- Presaturated wipe refills are available
- Strong and durable
- Low levels of particles and extractable contaminants
- Each package is individually lot numbered
- Custom solvents and disinfectant capabilities; contact your Contec representative for details

### Applications

- Excellent wipe for less critical applications
- Cleaning--wipe down, process tools and other equipment
- Compatible with ISO Class 6 environments
- Wipe down prior to entry into cleanroom
- General purpose cleaning and surface preparation



Data Sheets: [SAT-C1-100](#) [SAT-C1-1090](#) [SAT-C1-7030](#)

Part #	Description	Packaging	SDS	Sample
SAT-CAN120	 Canister with snap-close lid, for 6" x 9" (15.2 x 22.9cm) rolls	10 canisters/case		
SAT-C1-7030/18	6" x 9" (15.2 x 22.9cm) wipe presaturated with 500ml of 70% IPA/30% DI Water	100 wipes/roll; 18 refills/case		
SAT-C1-7030	6" x 9" (15.2 x 22.9cm) wipe presaturated with 500ml of 70% IPA/30% DI Water, canister with snap-close lid (SAT-CAN120)	100 wipes/roll; 12 refills/case; 1 canister/case		
SAT-C1-1090	6" x 9" (15.2 x 22.9cm) wipe presaturated with 500ml of 10% IPA/90% DI Water, canister with snap-close lid (SAT-CAN120)	100 wipes/roll; 12 refills/case; 1 canister/case		
SAT-C1-100	6" x 9" (15.2 x 22.9cm) wipe presaturated with 500ml of 100% IPA, canister with snap-close lid (SAT-CAN120)	100 wipes/roll; 12 refills/case; 1 canister/case		



# SATWipes® SAT-C1-7030 Wipe

Saturated nonwoven cellulose/polyester wipes in center-pull dispenser

## Description

The SATWipes C1 consists of a roll of (100) 6" x 9" saturated wipes that are dispensed through a convenient center-pull canister. The wipes consist of nonwoven cellulose/polyester fabric that is hydraulically entangled creating a soft, durable, and clean wipe that allows for consistent solvent application and use. The saturation of 70% alcohol and 30% deionized water provides a safe and mild cleaning solution. Reduce solvent handling and increase safety with these wipers. Refill rolls are available so the pop-up dispenser canister may be re-used, eliminating the need for solvent bottles.

## Technical Data

Wipe material	55% cellulose / 45% polyester	
Wipe construction	Hydroentangled nonwoven	
Solution of saturation; (blend ratio and constituents)	70% isopropanol 30% ultra-pure deionized water	
Attribute; (units)	Value **	Test Method
Basis weight; (g/m <sup>2</sup> )	68	
Non-volatile residue, NVR		IEST-RP-CC004.2, Sec. 6.1.2
In deionized water; (g/m <sup>2</sup> )	0.056	
In isopropanol; (g/m <sup>2</sup> )	0.015	
Particles, readily releasable		IEST-RP-CC004.2, Sec. 5.1
P ≥ 0.5µm; (x10 <sup>6</sup> /m <sup>2</sup> )	17.1	
Fibers > 100µm; (x10 <sup>3</sup> /m <sup>2</sup> )	14.8	IEST-RP-CC004.2, Sec. 5.2
Saturation volume tolerance;		N/A
< 300 mL	+/- 12%	
300 -1666 mL	+/- 3%	
> 1666 mL	+/- 50 mL	

\*\* ND = None detected; levels are below detection limit of test equipment

Part Number	Description	EA/RL	RL/PCH	PCH/CS	EA/CS
SAT-C1-7030	SATWipes cellulose/polyester wipes, 70% IPA/ 30% DI water, 6" x 9" (15 x 23cm), canister w/ snap-close lid (SAT-CAN120)	100	1	12	1200
SAT-C1-7030/18	SATWipes cellulose/polyester wipes, 70% IPA/ 30% DI water, 6" x 9" (15 x 23cm), no canister	100	1	18	1800

Key: EA = Each, RL = Roll, PCH = Pouch, OB1 = Outer Bag 1, CS = Case

### Notes:

- 1) The information presented here is applicable to the part numbers shown above as well as to any product containing the same materials and produced under the same conditions, regardless of product size or packaging configuration. Please contact a Contec sales representative for more details.
- 2) Data shown are typical values and should not be used as product specifications.
- 3) Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.
- 4) Current and/or comparison data may be available. Please contact a Contec sales representative for details.

Revision date: 01/12/07



Copyright © 2007 Contec, Inc. All rights reserved.

**North America**  
P.O. Box 530  
Spartanburg, SC 29304 USA  
Phone: +1-864-503-8333  
www.contecinc.com

**Europe**  
Zl du Prat – RP 3707  
56037 VANNES Cedex  
FRANCE  
+33 297 437 690

**China**  
No.17 Longyun Road  
Suzhou 215024  
CHINA  
+ 86-512-6274 4050