






	Safety Goggles	
Field of Application and Properties		
<ul style="list-style-type: none"> ▪ Maximum protection and wear: Type-tested safety eye wear by UVEX Safety. Suitable for spectacle wearers. Special anti-fog coating. ▪ Application area: Protection against mechanical risks, liquids and coarse dust particles. As specified by the RKI (Robert-Koch Institute, Germany) for safety goggles in protection against infection sets Type 1. ▪ Protection capacity: Suitable for particles up to 120 m/s, temperatures over 55°C, molten metals, gas-tight. ▪ Before use: Check for any damage! Do not use goggles if marking is absent or illegible. 		
Type		
	Protective Goggles Ultravision (gas-tight version)	
Item No.	121726	
Size	Universal	
Colour	Red body, colourless lens	
Properties		
<ul style="list-style-type: none"> ▪ 180° field of vision due to the panoramic extra-large lens ▪ Mechanical rigidity up to 120 m/s (B) ▪ Without ventilation, gas-tight ▪ Ideal for wearers of prescription glasses ▪ Comfortable, easily adjustable head band ▪ In line with the RKI requirement for protection against infection kits of Type 1 		
Frame Marking		
W	Code letter of manufacturer	
166	EN standard	
B (120 m/s)	Mechanical resistance	
CE	EC conformity	
0196	Number of notified body	
Lens Marking		
2-1,2 (EN 170)	Protection level	
W	Code letter of manufacturer	
1	Optical class	
K	Surface resistance – small particles	

N	Resistance to fogging
DIN	Certification
CE	EC-conformity
0196	Number of notified body
Care instructions	
<ul style="list-style-type: none"> ▪ Cleaning: Using clean water and household washing-up liquid (no lye, acids or solvents!). Avoid a strong mechanical action when cleaning (scratched surface = high proportion of stray light). ▪ Disinfection: Item can be disinfected with any standard disinfectant. 	
CE-Marking	
 <p>CE-marking in accordance with PPE Directive 89/686/EEC for PPE. The type test performed was based on EN 166. Produced by: UVEX Arbeitsschutz GmbH, Fürth, Germany.</p>	
0196 Notified Body „0196“	
DIN CERTCO, Gartenstr. 133, D-73430 Aalen, Germany.	
Quality Management System	
 <p>Our Quality management system is tested and certified by TÜV Product Service GmbH (a certification body accredited by the German Accreditation Council) in accordance with DIN EN ISO 9001:2008. Regular audits and production site inspections guarantee the quality of our products.</p>	
Storage and Transport Conditions	
 <ul style="list-style-type: none"> ▪ Cool (+10 to +40°C) ▪ Dry (humidity max.65%) ▪ No contact with pointed and/or sharp objects 	
Shelf Life	
 <ul style="list-style-type: none"> ▪ 5 years from date of manufacture 	
Manufacturer	
UVEX Arbeitsschutz GmbH, Würzburger Str. 181 – 189, 90766 Fürth, Germany	
Distributor	
 <p>BERNER INTERNATIONAL GmbH Mühlenkamp 6 - 25337 Elmshorn Tel: 04121 4356 0 Fax: 04121 4356 20 info@berner-international.de www.berner-international.de</p>	