


	Laboratory and Safety Goggles	
Area of Application and Properties		
<ul style="list-style-type: none"> ▪ Maximum protection and wearing comfort: Tested safety goggles manufactured by UVEX Safety, can be autoclaved for laboratories and cleanrooms. Some types are suitable for spectacle wearers. Special non-fogging coating. ▪ Application range: Protection against mechanical risks, liquids and coarse dust. Suitable for various uses. ▪ Protection capacity: Does not provide protection against high-speed particles, laser beams, temperatures of over 55°C, arcing faults, molten metals (except Item No 121716). ▪ Before use: Check for any damage! Do not use goggles if marking is missing or illegible. 		
Types		
	Safety goggles super fit 9178 CR	
Order No.	121706	
Size	Universal	
Colour	Transparent	
Properties		
<ul style="list-style-type: none"> ▪ Very light safety glasses ▪ Large field of vision ▪ Highly flexible frame with XST-technology ▪ Suitable for cleanroom use ▪ Ideal for use with operating masks ▪ Autoclavable up to 121 °C (replace after max. 10 cycles) 		
Frame Marking		
W	Code letter of manufacturer	
166	EN standard	
F (45 m/s)	Mechanical strength	
CE	EC-declaration of conformity	
0196	Number of the notified body	
Lens Marking		
2C-1,2 (DIN EN 170)	Safety level	
W	Code letter of manufacturer	
1	Optical class	
K	Surface resistance – small parts	
N	Resistance against fogging	

DIN	Certification
CE	EC-conformity
0196	Notified body
 <p style="text-align: center;">Protective goggles 9169 super f OTG CR</p>	
Order No.	121711
Size	Universal
Colour	Transparent
Properties	
<ul style="list-style-type: none"> ▪ Light safety goggles with complete field of vision ▪ Ideally suited for wearers of prescription glasses ▪ Specially coated non fogging lens ▪ 11° inclined glass for more safety and a better view ▪ X-stream technology (XST) – flexible frame systems ▪ Can be autoclaved at 121° (replace after max.10 cycles) 	
Frame Marking	
W	Code letter of manufacturer
166	EN standard
F (45 m/s)	Mechanical strength
CE	EC declaration of conformity
0196	Number of notified body
Lens Marking	
2C-1,2 (DIN EN 170)	Safety level
W	Code letter of manufacturer
1	Optical class
K	Surface resistance – small parts
N	Mechanical strength
DIN	Certification
CE	EC-conformity
0196	Notified body



Safety goggles 9302 500 ultrasonic CR

Order No.	121716
Size	Universal
Colour	White-transparent

Properties

- Antifog coating
- Can be worn over prescription glasses as well as with respiratory masks
- Optical class 1
- Adjustable silicone headband for perfect fit
- Suitable for cleanroom use
- Exceptional ventilation
- Can be autoclaved at 121° (max.10 cycles)

Frame marking

3 (Liquid drips & spray) 4 (Coarse dust) 9 (hot solid materials and melting metals)	Field of use
B (120 m/s)	Mechanical strength
W	Code letter of manufacturer
166	EN standard
CE	EC declaration of conformity
0196	Number of the notified body

Lens Marking

2C-1,2 (DIN EN 170)	Safety level
W	Code letter of manufacturer
1	Optical class
B (120/m/s)	Mechanical strength
9	Field of use
K	Surface resistance – small parts
N	Fogging resistance
DIN	Certification mark
CE	EC-conformity
0196	No. of notified body

Care Instructions

- **Cleaning:** Using clean water and household washing-up liquid (no lye, acids or solvents!). Avoid a strong mechanical action when cleaning (scratched surface = high proportion of stray light).
- **Disinfection:** Item can be disinfected with any standard disinfectant



CE-Mark

CE-marking in accordance with **PPE Directive 89/686/EEC** for PPE (category II).
The type test performed was based on EN 166.
Produced by: UVEX Arbeitsschutz GmbH, Fürth, Germany

0196

Notified Body „0196“

DIN CERTCO, Gartenstr. 133, D-73430 Aalen, Deutschland.



Quality Management System

Our **Quality management system** is **tested and certified** by TÜV Product Service GmbH (a certification body accredited by the German Accreditation Council) in accordance with DIN EN ISO 9001:2008. Regular **audits and production site inspections** guarantee the quality of our products.



Storage and Transport Conditions

- Cool (+10 to +40°C)
- Dry (humidity max. 65%)
- No contact with pointed and/or sharp objects



Shelf life

- 5 years from date of manufacture

Manufacturer

UVEX Arbeitsschutz GmbH, Würzburger Str. 181 – 189, 90766 Fürth, Germany

Distributor



BERNER INTERNATIONAL GmbH
Mühlenkamp 6 - 25337 Elmshorn
Tel: 04121 4356 0
Fax: 04121 4356 20
info@berner-international.de
www.berner-international.eu

